

Instal·lació de GLPI 0.83.8 en Ubuntu Server 12.04

1. Instal·la Ubuntu Server 12.04
2. nano /etc/network/interfaces

```
iface eth0 inet static
address 192.168.1.XXX
netmask 255.255.255.0
gateway 192.168.1.1
dns-nameservers 194.179.1.100 8.8.8.8
```

3. ifdown eth0
4. ifup eth0
5. apt-get update
6. apt-get upgrade
7. apt-get install apache2 libapache2-mod-php5 php5 php5-mysql mysql-server

Configuració del paquet «mysql-server-5.5»	
New password for the MySQL "root" user:	PASSWORD
Repeat password for the MySQL "root" user:	PASSWORD

8. nano /etc/apache2/httpd.conf

```
ServerName tallerXXX
```

9. cd /var/www
10. wget https://forge.indepnet.net/attachments/download/1466/glpi-0.83.8.tar.gz
11. tar zxvf glpi-0.83.8.tar.gz
12. rm glpi-0.83.8.tar.gz
13. chown -R www-data:www-data ./glpi/
14. service apache2 restart
15. Accedeix a http://192.168.10.XXX/glpi i segueix els passos

Instal·lació del plugin FusionInventory

16. apt-get install php5-xmlrpc
17. service apache2 restart
18. cd /var/www/glpi/plugins/
19. wget http://forge.fusioninventory.org/attachments/download/951/fusioninventory-for-glpi-metapackage_0.83%202.2.tar.gz
20. tar zxvf fusioninventory-for-glpi-metapackage_0.83\ 2.2.tar.gz
21. rm fusioninventory-for-glpi-metapackage_0.83\ 2.2.tar.gz
22. wget https://forge.indepnet.net/attachments/download/1205/glpi-webservices-1.3.1.tar.gz
23. tar zxvf glpi-webservices-1.3.1.tar.gz
24. rm glpi-webservices-1.3.1.tar.gz

Instal·lació de l'agent de FusionInventory

En Ubuntu

```
1. apt-get install lsb-release
2. echo "deb http://debian.fusioninventory.org/debian/ `lsb_release -cs` main"
   >> /etc/apt/sources.list
3. wget -O - http://debian.fusioninventory.org/debian/archive.key | sudo apt-key add -
4. apt-get update
5. apt-get install fusioninventory-agent
6. nano /etc/fusioninventory/agent.cfg

Canvia:      #server = http://server.domain.com/glpi/plugins/fusioninventory/
Per:          server = http://192.168.10.XXX/glpi/plugins/fusioninventory/

7. nano /etc/default/fusioninventory-agent

Canvia:      MODE=cron
Per:          MODE=daemon

8. service fusioninventory-agent start
9. fusioninventory-agent --force
```

En Windows

Descàrrega:

http://prebuilt.fusioninventory.org/stable/windows-i386/fusioninventory-agent_windows-i386_2.2.7-4.exe

Configuració:

HKEY_LOCAL_MACHINE\SOFTWARE\FusionInventory-Agent

Força l'inventari:

<http://localhost:62354>